



ΠΙΣΤΟΠΟΙΗΤΙΚΟ ΣΥΜΜΟΡΦΩΣΗΣ

Αρ. Πιστοποιητικού SKM 10043/2

Η DQS Hellas χορηγεί το παρόν Πιστοποιητικό στην επιχείρηση :

SONNE AKTION ΕΠΕ

Χαλκιδικής 39, 14451 Μεταμόρφωση

για το προϊόν:

Οικογένεια ηλιακών συστημάτων:

**ATLAS ST12, ATLAS STL12, ATLAS ST15, ATLAS STE15, ATLAS ST16,
ATLAS STE16, ATLAS STL16, ATLAS ST20, ATLAS STE20, ATLAS
STEE20, ATLAS STL20, ATLAS ST30, ATLAS STL30**

το οποίο παράγεται σύμφωνα με τα τυποποιητικά έγγραφα :

**EN 12976-1:2017
EN 12976-2:2017
EN 12975-1:2011
EN ISO 9806:2013**

στην ακόλουθη θέση :

**68ο χλμ. Ε.Ο. Αθηνών – Λαμίας
32009 Σχηματάρι Βοιωτίας**



Το παρόν Πιστοποιητικό χορηγείται σύμφωνα με:

- το Γενικό Κανονισμό Πιστοποίησης Προϊόντων της DQS Hellas,
- τον Ειδικό Κανονισμό Πιστοποίησης ΕΚΠΠ.001 «Ειδικός Κανονισμός Πιστοποίησης Ηλιακών Συλλεκτών, και Οικιακών Ηλιακών Συστημάτων Θέρμανσης Νερού»

και διέπεται από τους όρους της αντίστοιχης σύμβασης μεταξύ της DQS Hellas και της επιχείρησης

Ημερομηνία Έκδοσης: **2021-09-10**

Ημερομηνία Λήξεως: **2024-09-10**

Παναγιώτης Γιαννούτσος
Διευθυντής Πιστοποίησης

Dr. Εμμανουήλ Δεληγιαννάκης
Γενικός Διευθυντής



Πιστοποίηση Προϊόντων
Αρ. Διαπίστευσης: 735

Διαπιστευμένος Φορέας: Καλαβρύτων 4, 14564 Κηφισιά – Αθήνα

ΓΚΠΠ-08 – 15/12/2014



ΠΙΣΤΟΠΟΙΗΤΙΚΟ ΑΔΕΙΑ ΧΡΗΣΕΩΣ KEYMARK

Αρ. Πιστοποιητικού SKM 10043/2

Η DQS Hellas χορηγεί την παρούσα άδεια στην επιχείρηση :

SONNE AKTION ΕΠΕ
Χαλκιδικής 39, 14451 Μεταμόρφωση

για το προϊόν:

Οικογένεια ηλιακών συστημάτων:
ATLAS ST12, ATLAS STL12, ATLAS ST15, ATLAS STE15, ATLAS ST16,
ATLAS STE16, ATLAS STL16, ATLAS ST20, ATLAS STE20, ATLAS
STEE20, ATLAS STL20, ATLAS ST30, ATLAS STL30

το οποίο παράγεται σύμφωνα με τα τυποποιητικά έγγραφα :

EN 12976-1:2017
EN 12976-2:2017
EN 12975-1:2011
EN ISO 9806:2013

στην ακόλουθη θέση :

68ο χλμ. Ε.Ο. Αθηνών – Λαμίας
32009 Σχηματάρι



Η παρούσα Άδεια χορηγείται σύμφωνα με:

- το Γενικό Κανονισμό Πιστοποίησης Προϊόντων της DQS Hellas,
- τον Ειδικό Κανονισμό Πιστοποίησης ΕΚΙΠΠ.001 «Ειδικός Κανονισμός Πιστοποίησης Ηλιακών Συλλεκτών, και Οικιακών Ηλιακών Συστημάτων Θέρμανσης Νερού»,
- τον Ειδικό Κανονισμό της CEN Σχήματος SOLAR KEYMARK για ηλιακά θερμικά προϊόντα,

και διέπεται από τους όρους της αντίστοιχης σύμβασης μεταξύ της DQS Hellas και της επιχείρησης.

Ημερομηνία Έκδοσης: **2021-09-10**

Ημερομηνία Λήξεως: **2024-09-10**


Παναγιώτης Γιαννούτσος
Διευθυντής Πιστοποίησης

Κοινοποιημένος Φορέας: Καλαβρύτων 4, 14564 Κηφισιά – Αθήνα


Dr. Εμμανουήλ Δεληγιαννάκης
Γενικός Διευθυντής

EK.001-07 – 10/11/2011



Summary of		EN12976-2		SOLAR SYSTEM test results		Licence Number		SKM 10043/2											
Annex to Solar KEYMARK Certificate						Issued		2018-08-30											
Company		SONNE AKTION LTD				Country		Greece											
Brand (optional)		ATLAS				Website		www.sonne.gr											
Street		68 Km N.R. Athens - Lamia				E-mail		info@sonne.gr											
Postal Code		32009		Schimatari Viotias		Tel. / Fax		+30 2,351,037,257											
System classification																			
Application(s)					Hot water														
Solar loop, circulation principle					Thermosyphon														
Direct solar loop / heat exchanger					Heat exchanger														
Open, vented or closed solar loop					Closed														
Drain back/down					Always filled (no drain)														
Store location					Outdoor														
Store orientation (of main axis)					Horizontal														
Type of auxiliary heating (internal back-up heat)					Electric														
If other auxiliary/internal back-up heating, please specify:																			
Solar+supplementary OR Solar-only / Solar pre-heat					Solar only / Solar pre-heat														
Collector(s)					Heat store(s)														
Company		SONNE AKTION LTD				Company		SONNE AKTION LTD											
<i>Keymark lic.no. if available</i>		SKM 10078				<i>Keymark lic.no. if available</i>													
Collector name		Per module			Store name		Total nominal volume		Gross height		Gross width		Gross depth		Auxiliary heated volume		Electrical aux. heating power		
		Gross Area (Ag)	Gross length	Gross width															litres
		m ²	mm	mm															
ATLAS CA160		1.60	1570	1020	T12	115	1120	500	-	-	-	-	-	-	-	-	-	1.2-4.5	
ATLAS CA200		1.90	1970	965	T15	142	1320	500	-	-	-	-	-	-	-	-	-	1.2-4.5	
ATLAS CA230		2.30	1970	1165	T16	154	1130	580	-	-	-	-	-	-	-	-	-	1.2-4.5	
					T20	194	1320	580	-	-	-	-	-	-	-	-	-	1.2-4.5	
					T30	292	1830	580	-	-	-	-	-	-	-	-	-	1.2-4.5	
Solar loop controller					Solar loop fluid														
<i>Keymark lic.no. if available</i>					Recommended/required		No recommend./requirements												
Company					Company														
Name					Name														
Solar loop pump - power range		W to		W	Freezing point		-4 °C												
System family overview																			
Collector name		Number of collectors in each configuration for each store																	
		Store name																	
		T12			T15			T16			T20			T30					
ATLAS CA160		1								2				2					
ATLAS CA200			1		1			1				1	2				2		
ATLAS CA230						1			1				1					2	
Testing Laboratory		NCSR "DEMOKRITOS"- SOLAR & ENERGY SYSTEMS LAB																	
Website		www.solar.demokritos.gr																	
Test report id. number		6095 DE1, 6096 DE1, 6096 F1																	
Date of test report		23/7/2018, 18/7/2018, 1/8/2017																	
Comments of test lab		<div style="text-align: right;">  N.C.S.R "DEMOKRITOS" SOLAR ENERGY LABORATORY Head: Dr Vassilios Belesiotis Tel: +210 6503815 - Fax: +210 6541040 163 10 Ag. Parakevfi - Attiki - Greece </div>																	
Comments ...																			



Summary of	EN12976-2	test results	Certification No.	SKM 10043/2									
Annex to Solar KEYMARK Certificate			Issued	2018-08-30									
Company	SONNE AKTION LTD		Country	Greece									
Brand (optional)	ATLAS		Website	www.sonne.gr									
Street	68 Km N.R. Athens - Lamia		E-mail	info@sonne.gr									
Postal Code	32009	Schimatari Viotias	Tel. / Fax	+30 22620 59260									
System family overview													
For each storage and collector size, give number of collectors													
Collector name	T12	T15	T16	T20	T30								
ATLAS CA160	1		2	2									
ATLAS CA200	1	1	1	1	2								
ATLAS CA230		1	1	1	2								
Name of system configuration													
ATLAS CA160			ATLAS ST12										
Collector name	ATLAS CA160	No. Collectors	1	Storage name	T12								
Calculated annual results for "solar-only / preheat system"													
Location	Qd,sh	Daily drawoff 80 l				Daily drawoff 110 l				Daily drawoff 140 l			
	MJ/y	Qd,hw	QL	Qpar	fsol	Qd,hw	QL	Qpar	fsol	Qd,hw	QL	Qpar	fsol
Stockholm SE	-	4478	2340	-	52	6150	2794	-	46	7821	2999	-	38
WürzburgDE	-	4289	2384	-	56	5897	2882	-	49	7506	3154	-	42
Davos CH	-	4857	3469	-	72	6654	4037	-	61	8483	4289	-	51
Athens GR	-	3343	2851	-	86	4573	3595	-	78	5834	4100	-	70
Perf. indicators for the table above													
Qd,sh	MJ/y	Not relevant for solar domestic hot water system											
Qd	MJ/y	Annual heat demand for domestic hot water											
QL	MJ/y	Annual heat energy delivered by the solar system											
Qpar	MJ/y	Annual parasitic energy: (electricity for pumps/controllers)											
$f_{sol}=Q_L/Q_d$	-	Solar fraction											
Ref. conditions	G	Stockholm SE	Würzburg DE	Davos CH	Athens GR								
		1,157	1,230	1,684	1,736								
	Ta,ave	7.5	9.0	3.2	18.5								
	Tc,ave	8.5	10.0	5.4	17.8								
	± ΔTc	6.4	3.0	0.8	7.4								
G	kWh/m ²	Annual irradiation South, 45°											
Ta,ave	°C	Annual average outdoor air temperature											
Tc,ave	°C	Annual average mains cold water temp.											
ΔTc	K	Seasonal variation of Tc											
Th	45 °C	Desired hot water temperature (mixing valve temperature).											
Max. operating press. - collector side		300	kPa	Max. operating press. - tank side		1,000	kPa						
Testing Laboratory		NCSR "DEMOKRITOS"- SOLAR & ENERGY SYSTEMS LAB											
Website		www.solar.demokritos.gr											
Test report id. number		6095 DE1, 6096 DE1, 6096 F1											
Date of test report		23/7/2018, 18/7/2018, 1/8/2017											
Test method		ISO 9459-5 (DST)											
Comments of test lab													
No comments													
 N.C.S.R "DEMOKRITOS" SOLAR ENERGY LABORATORY Head: Dr Vassilis Belesiotis Tel: +210 6560815 - Fax: +210 6544569 153 10 Ag. Parakevi - Attik. - Greece													

All values are subject to some uncertainty; e.g. the uncertainty on system output is typically in the range of ± 5 % to ± 15 %

Version 4.5, 2017-10-24



Summary of	EN12976-2	test results	Certification No.	SKM 10043/2									
Annex to Solar KEYMARK Certificate			Issued	2018-08-30									
Company	SONNE AKTION LTD		Country	Greece									
Brand (optional)	ATLAS		Website	www.sonne.gr									
Street	68 Km N.R. Athens - Lamia		E-mail	info@sonne.gr									
Postal Code	32009	Schimatari Viotias	Tel. / Fax	+30 22620 59260									
System family overview													
For each storage and collector size, give number of collectors													
Collector name	T12		T15		T16		T20		T30				
ATLAS CA160	1				2		2						
ATLAS CA200	1		1		1		1	2		2			
ATLAS CA230			1		1		1			2			
Name of system configuration					ATLAS STL12								
Collector name	ATLAS CA200		No. Collectors	1		Storage name	T12						
Calculated annual results for "solar-only / preheat system"													
Location	Qd,sh MJ/y	Daily drawoff 80				Daily drawoff 110				Daily drawoff 140			
		Qd,hw MJ/y	QL MJ/y	Qpar MJ/y	fsol %	Qd,hw MJ/y	QL MJ/y	Qpar MJ/y	fsol %	Qd,hw MJ/y	QL MJ/y	Qpar MJ/y	fsol %
Stockholm SE	-	4478	2498	-	56	6150	3043	-	50	7821	3343	-	43
Würzburg DE	-	4289	2517	-	59	5897	3106	-	53	7506	3469	-	46
Davos CH	-	4857	3721	-	77	6654	4478	-	67	8483	4825	-	57
Athens GR	-	3343	2961	-	89	4573	3784	-	83	5834	4384	-	75
Perf. indicators for the table above													
Qd,sh	MJ/y	Not relevant for solar domestic hot water system											
Qd	MJ/y	Annual heat demand for domestic hot water											
QL	MJ/y	Annual heat energy delivered by the solar system											
Qpar	MJ/y	Annual parasitic energy: (electricity for pumps/controllers)											
f _{sol} =Q _l /Q _d	-	Solar fraction											
Ref. conditions	G	Stockholm SE	Würzburg DE	Davos CH	Athens GR								
		1,157	1,230	1,684	1,736								
	T _{a,ave}	7.5	9.0	3.2	18.5								
	T _{c,ave}	8.5	10.0	5.4	17.8								
± ΔT _c	6.4	3.0	0.8	7.4									
G	kWh/m ²	Annual irradiation South, 45°											
T _{a,ave}	°C	Annual average outdoor air temperature											
T _{c,ave}	°C	Annual average mains cold water temp.											
ΔT _c	K	Seasonal variation of T _c											
T _h	45 °C	Desired hot water temperature (mixing valve temperature).											
Max. operating press. - collector side		300	kPa	Max. operating press. - tank side		1,000	kPa						
Testing Laboratory		NCSR "DEMOKRITOS"- SOLAR & ENERGY SYSTEMS LAB											
Website		www.solar.demokritos.gr											
Test report id. number		6095 DE1, 6096 DE1, 6096 F1											
Date of test report		23/7/2018, 18/7/2018, 1/8/2017											
Test method		ISO 9459-5 (DST)											
Comments of test lab													
No comments													
N.C.S.R "DEMOKRITOS" SOLAR ENERGY LABORATORY Head: Dr Vassilis Belessiotis Tel: +210 8503815 - Fax: +210 8547600 153 10 Ag. Paraskevi - Attiki - Greece													

All values are subject to some uncertainty; e.g. the uncertainty on system output is typically in the range of ± 5 % to ± 15 %

Version 4.5, 2017-10-24




Summary of	EN12976-2	test results	Certification No.	SKM 10043/2									
Annex to Solar KEYMARK Certificate			Issued	2018-08-30									
Company	SONNE AKTION LTD		Country	Greece									
Brand (optional)	ATLAS		Website	www.sonne.gr									
Street	68 Km N.R. Athens - Lamia		E-mail	info@sonne.gr									
Postal Code	32009	Schimatari Viotias	Tel. / Fax	+30 22620 59260									
System family overview													
For each storage and collector size, give number of collectors													
Collector name	T12		T15		T16		T20		T30				
ATLAS CA160	1				2			2					
ATLAS CA200	1		1		1		1	2		2			
ATLAS CA230			1		1		1			2			
Name of system configuration					ATLAS ST15								
Collector name	ATLAS CA230		No. Collectors	1		Storage name	T15						
Calculated annual results for "solar-only / preheat system"													
Location	Qd,sh MJ/y	Daily drawoff 110				Daily drawoff 140				Daily drawoff 170			
		Qd,hw MJ/y	QL MJ/y	Qpar MJ/y	fsol %	Qd,hw MJ/y	QL MJ/y	Qpar MJ/y	fsol %	Qd,hw MJ/y	QL MJ/y	Qpar MJ/y	fsol %
Stockholm SE	-	6150	3280	-	54	7821	3784	-	48	9492	4068	-	43
Würzburg DE	-	5897	3343	-	57	7506	3879	-	52	9114	4226	-	47
Davos CH	-	6654	4888	-	73	8483	5550	-	66	10281	5897	-	57
Athens GR	-	4573	3974	-	87	5834	4730	-	82	7064	5330	-	76
Perf. indicators for the table above													
Qd,sh	MJ/y	Not relevant for solar domestic hot water system											
Qd	MJ/y	Annual heat demand for domestic hot water											
QL	MJ/y	Annual heat energy delivered by the solar system											
Qpar	MJ/y	Annual parasitic energy: (electricity for pumps/controllers)											
f _{sol} =Q _l /Q _d	-	Solar fraction											
Ref. conditions	G	Stockholm SE	Würzburg DE	Davos CH	Athens GR								
	T _{a,ave}	1,157	1,230	1,684	1,736								
	T _{c,ave}	7.5	9.0	3.2	18.5								
	± ΔT _c	8.5	10.0	5.4	17.8								
		6.4	3.0	0.8	7.4								
G	kWh/m ²	Annual irradiation South, 45°											
T _{a,ave}	°C	Annual average outdoor air temperature											
T _{c,ave}	°C	Annual average mains cold water temp.											
ΔT _c	K	Seasonal variation of T _c											
T _h	45 °C	Desired hot water temperature (mixing valve temperature).											
Max. operating press. - collector side		300	kPa	Max. operating press. - tank side		1,000	kPa						
Testing Laboratory		NCSR "DEMOKRITOS"- SOLAR & ENERGY SYSTEMS LAB											
Website		www.solar.demokritos.gr											
Test report id. number		6095 DE1, 6096 DE1, 6096 F1											
Date of test report		23/7/2018, 18/7/2018, 1/8/2017											
Test method		ISO 9459-5 (DST)											
Comments of test lab													
No comments													
N.C.S.R "DEMOKRITOS" SOLAR ENERGY LABORATORY Head: Dr Vassilis Belessiotis Tel: +210 6563815 Fax: +210 6544527 153 10 Ag. Paraskevi - Attiki - Greece													

All values are subject to some uncertainty; e.g. the uncertainty on system output is typically in the range of ± 5 % to ± 15 %

Version 4.5, 2017-10-24



Summary of	EN12976-2	test results	Certification No.	SKM 10043/2										
Annex to Solar KEYMARK Certificate			Issued	2018-08-30										
Company	SONNE AKTION LTD		Country	Greece										
Brand (optional)	ATLAS		Website	www.sonne.gr										
Street	68 Km N.R. Athens - Lamia		E-mail	info@sonne.gr										
Postal Code	32009	Schimatari Viotias	Tel. / Fax	+30 22620 59260										
System family overview														
For each storage and collector size, give number of collectors														
Collector name	T12		T15		T16		T20		T30					
ATLAS CA160	1				2		2							
ATLAS CA200	1		1		1		1	2		2				
ATLAS CA230			1		1		1			2				
Name of system configuration					ATLAS STE15									
Collector name	ATLAS CA200		No. Collectors	1		Storage name	T15							
Calculated annual results for "solar-only / preheat system"														
Location	Q _{d,sh} MJ/y	Daily drawoff 110 l					Daily drawoff 140 l				Daily d 170 l			
		Q _{d,hw} MJ/y	Q _L MJ/y	Q _{par} MJ/y	f _{sol} %	Q _{d,hw} MJ/y	Q _L MJ/y	Q _{par} MJ/y	f _{sol} %	Q _{d,hw} MJ/y	Q _L MJ/y	Q _{par} MJ/y	f _{sol} %	
Stockholm SE	-	6150	3031	-	49	7821	3406	-	44	9492	3627	-	38	
Würzburg DE	-	5897	3106	-	53	7506	3564	-	47	9114	3816	-	42	
Davos CH	-	6654	4447	-	67	8483	4951	-	58	10281	5172	-	50	
Athens GR	-	4573	3784	-	83	5834	4447	-	77	7064	4951	-	70	
Perf. indicators for the table above														
Q _{d,sh}	MJ/y	Not relevant for solar domestic hot water system												
Q _d	MJ/y	Annual heat demand for domestic hot water												
Q _L	MJ/y	Annual heat energy delivered by the solar system												
Q _{par}	MJ/y	Annual parasitic energy: (electricity for pumps/controllers)												
f _{sol} =Q _L /Q _d	-	Solar fraction												
Ref. conditions	G	Stockholm SE	Würzburg DE	Davos CH	Athens GR									
	T _{a,ave}	1,157	1,230	1,684	1,736									
	T _{c,ave}	7.5	9.0	3.2	18.5									
	± ΔT _c	8.5	10.0	5.4	17.8									
		6.4	3.0	0.8	7.4									
G	kWh/m ²	Annual irradiation South, 45°												
T _{a,ave}	°C	Annual average outdoor air temperature												
T _{c,ave}	°C	Annual average mains cold water temp.												
ΔT _c	K	Seasonal variation of T _c												
T _h	45 °C	Desired hot water temperature (mixing valve temperature).												
Max. operating press. - collector side		300	kPa	Max. operating press. - tank side		1,000	kPa							
Testing Laboratory		NCSR "DEMOKRITOS"- SOLAR & ENERGY SYSTEMS LAB												
Website		www.solar.demokritos.gr												
Test report id. number		6095 DE1, 6096 DE1, 6096 F1												
Date of test report		23/7/2018, 18/7/2018, 1/8/2017												
Test method		ISO 9459-5 (DST)												
Comments of test lab														
No comments														
 <p>N.C.S.R. "DEMOKRITOS" SOLAR ENERGY LABORATORY Head: Dr Vassilis Belesiotis Tel: +210 6500815 - Fax: +210 6544545 153 10 Ag. Paraskevi - Attiki - Greece</p>														

All values are subject to some uncertainty; e.g. the uncertainty on system output is typically in the range of ± 5 % to ± 15 %

Version 4.5, 2017-10-24




Summary of	EN12976-2	test results	Certification No.	SKM 10043/2									
Annex to Solar KEYMARK Certificate			Issued	2018-08-30									
Company	SONNE AKTION LTD		Country	Greece									
Brand (optional)	ATLAS		Website	www.sonne.gr									
Street	68 Km N.R. Athens - Lamia		E-mail	info@sonne.gr									
Postal Code	32009	Schimatari Viotias	Tel. / Fax	+30 22620 59260									
System family overview													
For each storage and collector size, give number of collectors													
Collector name	T12		T15		T16		T20		T30				
ATLAS CA160	1					2		2					
ATLAS CA200	1		1		1		1	2		2			
ATLAS CA230			1		1		1			2			
Name of system configuration					ATLAS ST16								
Collector name	ATLAS CA230		No. Collectors	1		Storage name	T16						
Calculated annual results for "solar-only / preheat system"													
Location	Q _{d,sh} MJ/y	Daily drawoff 110 l				Daily drawoff 140 l				Daily d 170 l			
		Q _{d,hw} MJ/y	Q _L MJ/y	Q _{par} MJ/y	f _{sol} %	Q _{d,hw} MJ/y	Q _L MJ/y	Q _{par} MJ/y	f _{sol} %	Q _{d,hw} MJ/y	Q _L MJ/y	Q _{par} MJ/y	f _{sol} %
Stockholm SE	-	6150	3311	-	54	7821	3784	-	49	9492	4131	-	44
Würzburg DE	-	5897	3343	-	57	7506	3910	-	52	9114	4289	-	47
Davos CH	-	6654	4888	-	74	8483	5582	-	66	10281	5992	-	58
Athens GR	-	4573	3974	-	87	5834	4762	-	82	7064	5393	-	76
Perf. indicators for the table above													
Q _{d,sh}	MJ/y	Not relevant for solar domestic hot water system											
Q _d	MJ/y	Annual heat demand for domestic hot water											
Q _L	MJ/y	Annual heat energy delivered by the solar system											
Q _{par}	MJ/y	Annual parasitic energy: (electricity for pumps/controllers)											
f _{sol} =Q _L /Q _d	-	Solar fraction											
Ref. conditions	G	Stockholm SE	Würzburg DE	Davos CH	Athens GR								
	T _{a,ave}	1,157	1,230	1,684	1,736								
	T _{c,ave}	7.5	9.0	3.2	18.5								
	± ΔT _c	8.5	10.0	5.4	17.8								
		6.4	3.0	0.8	7.4								
G	kWh/m ²	Annual irradiation South, 45°											
T _{a,ave}	°C	Annual average outdoor air temperature											
T _{c,ave}	°C	Annual average mains cold water temp.											
ΔT _c	K	Seasonal variation of T _c											
T _h	45 °C	Desired hot water temperature (mixing valve temperature).											
Max. operating press. - collector side		300	kPa	Max. operating press. - tank side		1,000	kPa						
Testing Laboratory		NCSR "DEMOKRITOS"- SOLAR & ENERGY SYSTEMS LAB											
Website		www.solar.demokritos.gr											
Test report id. number		6095 DE1, 6096 DE1, 6096 F1											
Date of test report		23/7/2018, 18/7/2018, 1/8/2017											
Test method		ISO 9459-5 (DST)											
Comments of test lab													
No comments													
N.C.S.R "DEMOKRITOS" SOLAR ENERGY LABORATORY Head: Dr Vassilis Belessiotis Tel: +210 6503015 - Fax: +210 6544502 153 10 Ag. Paraskevi - Attiki - Greece													

All values are subject to some uncertainty; e.g. the uncertainty on system output is typically in the range of ± 5 % to ± 15 %

Version 4.5, 2017-10-24



Summary of	EN12976-2	test results	Certification No.	SKM 10043/2									
Annex to Solar KEYMARK Certificate			Issued	2018-08-30									
Company	SONNE AKTION LTD		Country	Greece									
Brand (optional)	ATLAS		Website	www.sonne.gr									
Street	68 Km N.R. Athens - Lamia		E-mail	info@sonne.gr									
Postal Code	32009	Schimatari Viotias	Tel. / Fax	+30 22620 59260									
System family overview													
For each storage and collector size, give number of collectors													
Collector name	T12		T15		T16		T20		T30				
ATLAS CA160	1				2		2						
ATLAS CA200	1		1		1		1	2		2			
ATLAS CA230			1		1		1			2			
Name of system configuration					ATLAS STE16								
Collector name	ATLAS CA200		No. Collectors	1		Storage name		T16					
Calculated annual results for "solar-only / preheat system"													
Location	Qd,sh MJ/y	Daily drawoff 110 l				Daily drawoff 140 l				Daily drawoff 170 l			
		Qd,hw MJ/y	QL MJ/y	Qpar MJ/y	fsol %	Qd,hw MJ/y	QL MJ/y	Qpar MJ/y	fsol %	Qd,hw MJ/y	QL MJ/y	Qpar MJ/y	fsol %
Stockholm SE	-	6150	3027	-	49	7821	3437	-	44	9492	3658	-	39
Würzburg DE	-	5897	3113	-	53	7506	3564	-	48	9114	3847	-	42
Davos CH	-	6654	4447	-	67	8483	4951	-	58	10281	5235	-	51
Athens GR	-	4573	3784	-	83	5834	4447	-	77	7064	4983	-	71
Perf. indicators for the table above													
Qd,sh	MJ/y	Not relevant for solar domestic hot water system											
Qd	MJ/y	Annual heat demand for domestic hot water											
QL	MJ/y	Annual heat energy delivered by the solar system											
Qpar	MJ/y	Annual parasitic energy: (electricity for pumps/controllers)											
$f_{sol} = Q_L / Q_d$	-	Solar fraction											
Ref. conditions	G	Stockholm SE	Würzburg DE	Davos CH	Athens GR								
	Ta,ave	1,157	1,230	1,684	1,736								
	Tc,ave	7.5	9.0	3.2	18.5								
	± ΔTc	8.5	10.0	5.4	17.8								
		6.4	3.0	0.8	7.4								
G	kWh/m ²	Annual irradiation South, 45°											
Ta,ave	°C	Annual average outdoor air temperature											
Tc,ave	°C	Annual average mains cold water temp.											
ΔTc	K	Seasonal variation of Tc											
Th	45 °C	Desired hot water temperature (mixing valve temperature).											
Max. operating press. - collector side		300	kPa	Max. operating press. - tank side		1,000	kPa						
Testing Laboratory		NCSR "DEMOKRITOS"- SOLAR & ENERGY SYSTEMS LAB											
Website		www.solar.demokritos.gr											
Test report id. number		6095 DE1, 6096 DE1, 6096 F1											
Date of test report		23/7/2018, 18/7/2018, 1/8/2017											
Test method		ISO 9459-5 (DST)											
Comments of test lab													
No comments													
 N.C.S.R "DEMOKRITOS" SOLAR ENERGY LABORATORY Head: Dr Vassilis Belesiotis Tel: +210 6503616 - Fax: +210 6544507 153 10 Ag. Paraskevi - Attiki - Greece													

All values are subject to some uncertainty; e.g. the uncertainty on system output is typically in the range of ± 5 % to ± 15 %

Version 4.5, 2017-10-24




Summary of	EN12976-2	test results	Certification No.	SKM 10043/2									
Annex to Solar KEYMARK Certificate			Issued	2018-08-30									
Company	SONNE AKTION LTD		Country	Greece									
Brand (optional)	ATLAS		Website	www.sonne.gr									
Street	68 Km N.R. Athens - Lamia		E-mail	info@sonne.gr									
Postal Code	32009	Schimatari Viotias	Tel. / Fax	+30 22620 59260									
System family overview													
For each storage and collector size, give number of collectors													
Collector name	T12		T15		T16		T20		T30				
ATLAS CA160	1					2		2					
ATLAS CA200	1		1		1		1	2		2			
ATLAS CA230			1		1		1			2			
Name of system configuration					ATLAS STL16								
Collector name	ATLAS CA160		No. Collectors	2		Storage name	T16						
Calculated annual results for "solar-only / preheat system"													
Location	Q _{d,sh} MJ/y	Daily drawoff 110 l				Daily drawoff 140 l				Daily d 170 l			
		Q _{d,hw} MJ/y	Q _L MJ/y	Q _{par} MJ/y	f _{sol} %	Q _{d,hw} MJ/y	Q _L MJ/y	Q _{par} MJ/y	f _{sol} %	Q _{d,hw} MJ/y	Q _L MJ/y	Q _{par} MJ/y	f _{sol} %
Stockholm SE	-	6150	3658	-	60	7821	4320	-	55	9492	4825	-	51
Würzburg DE	-	5897	3658	-	62	7506	4352	-	58	9114	4920	-	54
Davos CH	-	6654	5487	-	83	8483	6433	-	76	10281	7127	-	69
Athens GR	-	4573	4226	-	92	5834	5140	-	88	7064	5929	-	84
Perf. indicators for the table above													
Q _{d,sh}	MJ/y	Not relevant for solar domestic hot water system											
Q _d	MJ/y	Annual heat demand for domestic hot water											
Q _L	MJ/y	Annual heat energy delivered by the solar system											
Q _{par}	MJ/y	Annual parasitic energy: (electricity for pumps/controllers)											
f _{sol} =Q _L /Q _d	-	Solar fraction											
Ref. conditions	G	Stockholm SE	Würzburg DE	Davos CH	Athens GR								
	T _{a,ave}	1,157	1,230	1,684	1,736								
	T _{c,ave}	7.5	9.0	3.2	18.5								
	± ΔT _c	8.5	10.0	5.4	17.8								
G	kWh/m ²	Annual irradiation South, 45°											
T _{a,ave}	°C	Annual average outdoor air temperature											
T _{c,ave}	°C	Annual average mains cold water temp.											
ΔT _c	K	Seasonal variation of T _c											
T _h	45 °C	Desired hot water temperature (mixing valve temperature).											
Max. operating press. - collector side		300	kPa	Max. operating press. - tank side		1,000	kPa						
Testing Laboratory		NCSR "DEMOKRITOS"- SOLAR & ENERGY SYSTEMS LAB											
Website		www.solar.demokritos.gr											
Test report id. number		6095 DE1, 6096 DE1, 6096 F1											
Date of test report		23/7/2018, 18/7/2018, 1/8/2017											
Test method		ISO 9459-5 (DST)											
Comments of test lab													
No comments													
N.C.S.R "DEMOKRITOS" SOLAR ENERGY LABORATORY Head: Dr Vassilis Belesiotis Tel: +210 6500815 - Fax: +210 6544000 153 10 Ag. Paraskevi - Attiki - Greece													

All values are subject to some uncertainty; e.g. the uncertainty on system output is typically in the range of ± 5 % to ± 15 %

Version 4.5, 2017-10-24



Summary of	EN12976-2	test results	Certification No.	SKM 10043/2									
Annex to Solar KEYMARK Certificate			Issued	2018-08-30									
Company	SONNE AKTION LTD		Country	Greece									
Brand (optional)	ATLAS		Website	www.sonne.gr									
Street	68 Km N.R. Athens - Lamia		E-mail	info@sonne.gr									
Postal Code	32009	Schimatari Viotias	Tel. / Fax	+30 22620 59260									
System family overview													
For each storage and collector size, give number of collectors													
Collector name	T12		T15		T16		T20		T30				
ATLAS CA160	1				2		2						
ATLAS CA200	1		1		1		1	2		2			
ATLAS CA230			1		1		1			2			
Name of system configuration					ATLAS ST20								
Collector name	ATLAS CA160		No. Collectors	2		Storage name	T20						
Calculated annual results for "solar-only / preheat system"													
Location	Q _{d,sh} MJ/y	Daily drawoff 170 l				Daily drawoff 200 l				Daily d 250 l			
		Q _{d,hw} MJ/y	Q _L MJ/y	Q _{par} MJ/y	f _{sol} %	Q _{d,hw} MJ/y	Q _L MJ/y	Q _{par} MJ/y	f _{sol} %	Q _{d,hw} MJ/y	Q _L MJ/y	Q _{par} MJ/y	f _{sol} %
Stockholm SE	-	9492	4920	-	52	11164	5330	-	48	13939	5708	-	41
Würzburg DE	-	9114	5014	-	55	10691	5487	-	51	13371	5992	-	45
Davos CH	-	10281	7253	-	71	12110	7852	-	65	15137	8231	-	54
Athens GR	-	7064	5992	-	85	8326	6717	-	81	10407	7632	-	73
Perf. indicators for the table above													
Q _{d,sh}	MJ/y	Not relevant for solar domestic hot water system											
Q _d	MJ/y	Annual heat demand for domestic hot water											
Q _L	MJ/y	Annual heat energy delivered by the solar system											
Q _{par}	MJ/y	Annual parasitic energy: (electricity for pumps/controllers)											
f _{sol} =Q _L /Q _d	-	Solar fraction											
Ref. conditions	G	Stockholm SE	Würzburg DE	Davos CH	Athens GR								
	T _{a,ave}	1,157	1,230	1,684	1,736								
	T _{c,ave}	7.5	9.0	3.2	18.5								
	± ΔT _c	8.5	10.0	5.4	17.8								
		6.4	3.0	0.8	7.4								
G	kWh/m ²	Annual irradiation South, 45°											
T _{a,ave}	°C	Annual average outdoor air temperature											
T _{c,ave}	°C	Annual average mains cold water temp.											
ΔT _c	K	Seasonal variation of T _c											
T _h	45 °C	Desired hot water temperature (mixing valve temperature).											
Max. operating press. - collector side		300	kPa	Max. operating press. - tank side		1,000	kPa						
Testing Laboratory		NCSR "DEMOKRITOS"- SOLAR & ENERGY SYSTEMS LAB											
Website		www.solar.demokritos.gr											
Test report id. number		6095 DE1, 6096 DE1, 6096 F1											
Date of test report		23/7/2018, 18/7/2018, 1/8/2017											
Test method		ISO 9459-5 (DST)											
Comments of test lab													
No comments													
 N.C.S.R "DEMOKRITOS" SOLAR ENERGY LABORATORY Head: Dr Vassilis Belesiotis Tel: +210 6508615 - Fax: +210 6544662 153 10 Ag. Paraskevi - Attiki - Greece													

All values are subject to some uncertainty; e.g. the uncertainty on system output is typically in the range of ± 5 % to ± 15 %

Version 4.5, 2017-10-24



Summary of	EN12976-2	test results	Certification No.	SKM 10043/2									
Annex to Solar KEYMARK Certificate			Issued	2018-08-30									
Company	SONNE AKTION LTD		Country	Greece									
Brand (optional)	ATLAS		Website	www.sonne.gr									
Street	68 Km N.R. Athens - Lamia		E-mail	info@sonne.gr									
Postal Code	32009	Schimatari Viotias	Tel. / Fax	+30 22620 59260									
System family overview													
For each storage and collector size, give number of collectors													
Collector name	T12		T15		T16		T20		T30				
ATLAS CA160	1				2		2						
ATLAS CA200	1		1		1		1	2		2			
ATLAS CA230			1		1		1		2				
Name of system configuration					ATLAS STE20								
Collector name	ATLAS CA230		No. Collectors	1		Storage name	T20						
Calculated annual results for "solar-only / preheat system"													
Location	Qd,sh MJ/y	Daily drawoff 170 l				Daily drawoff 200 l				Daily d 250 l			
		Qd,hw MJ/y	QL MJ/y	Qpar MJ/y	fsol %	Qd,hw MJ/y	QL MJ/y	Qpar MJ/y	fsol %	Qd,hw MJ/y	QL MJ/y	Qpar MJ/y	fsol %
Stockholm SE	-	9492	4194	-	44	11164	4447	-	40	13939	4604	-	33
Würzburg DE	-	9114	4352	-	48	10691	4667	-	44	13371	4888	-	37
Davos CH	-	10281	6055	-	59	12110	6370	-	53	15137	6528	-	43
Athens GR	-	7064	5424	-	77	8326	5992	-	72	10407	6591	-	63
Perf. indicators for the table above													
Qd,sh	MJ/y	Not relevant for solar domestic hot water system											
Qd	MJ/y	Annual heat demand for domestic hot water											
QL	MJ/y	Annual heat energy delivered by the solar system											
Qpar	MJ/y	Annual parasitic energy: (electricity for pumps/controllers)											
f _{sol} =Q _L /Q _d	-	Solar fraction											
Ref. conditions	G	Stockholm SE	Würzburg DE	Davos CH	Athens GR								
	T _{a,ave}	1,157	1,230	1,684	1,736								
	T _{c,ave}	7.5	9.0	3.2	18.5								
	± ΔT _c	8.5	10.0	5.4	17.8								
		6.4	3.0	0.8	7.4								
G	kWh/m ²	Annual irradiation South, 45°											
T _{a,ave}	°C	Annual average outdoor air temperature											
T _{c,ave}	°C	Annual average mains cold water temp.											
ΔT _c	K	Seasonal variation of T _c											
T _h	45 °C	Desired hot water temperature (mixing valve temperature).											
Max. operating press. - collector side		300	kPa	Max. operating press. - tank side		1,000	kPa						
Testing Laboratory		NCSR "DEMOKRITOS"- SOLAR & ENERGY SYSTEMS LAB											
Website		www.solar.demokritos.gr											
Test report id. number		6095 DE1, 6096 DE1, 6096 F1											
Date of test report		23/7/2018, 18/7/2018, 1/8/2017											
Test method		ISO 9459-5 (DST)											
Comments of test lab													
No comments													
N.C.S.R "DEMOKRITOS" SOLAR ENERGY LABORATORY Head: Dr. Vassilis Belesiotis Tel: +210 6503515 - Fax: +210 6544562 153 10 Ag. Paraskevi - Attiki - Greece													

All values are subject to some uncertainty; e.g. the uncertainty on system output is typically in the range of ± 5 % to ± 15 %

Version 4.5, 2017-10-24



Summary of	EN12976-2	test results	Certification No.	SKM 10043/2									
Annex to Solar KEYMARK Certificate			Issued	2018-08-30									
Company	SONNE AKTION LTD		Country	Greece									
Brand (optional)	ATLAS		Website	www.sonne.gr									
Street	68 Km N.R. Athens - Lamia		E-mail	info@sonne.gr									
Postal Code	32009	Schimatari Viotias	Tel. / Fax	+30 22620 59260									
System family overview													
For each storage and collector size, give number of collectors													
Collector name	T12		T15		T16		T20		T30				
ATLAS CA160	1				2		2						
ATLAS CA200	1		1		1		1	2	2				
ATLAS CA230			1		1		1		2				
Name of system configuration					ATLAS STEE20								
Collector name	ATLAS CA200		No. Collectors	1		Storage name	T20						
Calculated annual results for "solar-only / preheat system"													
Location	Q _{d,sh} MJ/y	Daily drawoff 170 l				Daily drawoff 200 l				Daily d 250 l			
		Q _{d,hw} MJ/y	Q _L MJ/y	Q _{par} MJ/y	f _{sol} %	Q _{d,hw} MJ/y	Q _L MJ/y	Q _{par} MJ/y	f _{sol} %	Q _{d,hw} MJ/y	Q _L MJ/y	Q _{par} MJ/y	f _{sol} %
Stockholm SE	-	9492	3690	-	39	11164	3879	-	35	13939	4005	-	29
Würzburg DE	-	9114	3879	-	43	10691	4100	-	38	13371	4226	-	32
Davos CH	-	10281	5235	-	51	12110	5487	-	45	15137	5613	-	37
Athens GR	-	7064	5014	-	71	8326	5487	-	66	10407	5929	-	57
Perf. indicators for the table above													
Q _{d,sh}	MJ/y	Not relevant for solar domestic hot water system											
Q _d	MJ/y	Annual heat demand for domestic hot water											
Q _L	MJ/y	Annual heat energy delivered by the solar system											
Q _{par}	MJ/y	Annual parasitic energy: (electricity for pumps/controllers)											
f _{sol} =Q _L /Q _d	-	Solar fraction											
Ref. conditions	G	Stockholm SE	Würzburg DE	Davos CH	Athens GR								
	T _{a,ave}	1,157	1,230	1,684	1,736								
	T _{c,ave}	7.5	9.0	3.2	18.5								
	± ΔT _c	8.5	10.0	5.4	17.8								
		6.4	3.0	0.8	7.4								
G	kWh/m ²	Annual irradiation South, 45°											
T _{a,ave}	°C	Annual average outdoor air temperature											
T _{c,ave}	°C	Annual average mains cold water temp.											
ΔT _c	K	Seasonal variation of T _c											
T _h	45 °C	Desired hot water temperature (mixing valve temperature).											
Max. operating press. - collector side		300	kPa	Max. operating press. - tank side		1,000	kPa						
Testing Laboratory		NCSR "DEMOKRITOS"- SOLAR & ENERGY SYSTEMS LAB											
Website		www.solar.demokritos.gr											
Test report id. number		6095 DE1, 6096 DE1, 6096 F1											
Date of test report		23/7/2018, 18/7/2018, 1/8/2017											
Test method		ISO 9459-5 (DST)											
Comments of test lab													
No comments													
N.C.S.R "DEMOKRITOS" SOLAR ENERGY LABORATORY Head: Dr. Yacellis Belesiotis Tel: +210 6503915 - Fax: +210 6544524 163 10 Ag. Paraskevi - Attiki - Greece													

All values are subject to some uncertainty; e.g. the uncertainty on system output is typically in the range of ± 5 % to ± 15 %

Version 4.5, 2017-10-24




Summary of	EN12976-2	test results	Certification No.	SKM 10043/2									
Annex to Solar KEYMARK Certificate			Issued	2018-08-30									
Company	SONNE AKTION LTD		Country	Greece									
Brand (optional)	ATLAS		Website	www.sonne.gr									
Street	68 Km N.R. Athens - Lamia		E-mail	info@sonne.gr									
Postal Code	32009	Schimatari Viotias	Tel. / Fax	+30 22620 59260									
System family overview													
For each storage and collector size, give number of collectors													
Collector name	T12		T15		T16		T20		T30				
ATLAS CA160	1				2		2						
ATLAS CA200	1		1		1		1	2	2				
ATLAS CA230			1		1		1		2				
Name of system configuration					ATLAS STL20								
Collector name	ATLAS CA200		No. Collectors	2		Storage name	T20						
Calculated annual results for "solar-only / preheat system"													
Location	Q _{d,sh} MJ/y	Daily drawoff 170 l				Daily drawoff 200 l				Daily d 250 l			
		Q _{d,hw} MJ/y	Q _L MJ/y	Q _{par} MJ/y	f _{sol} %	Q _{d,hw} MJ/y	Q _L MJ/y	Q _{par} MJ/y	f _{sol} %	Q _{d,hw} MJ/y	Q _L MJ/y	Q _{par} MJ/y	f _{sol} %
Stockholm SE	-	9492	5267	-	55	11164	5771	-	52	13939	6307	-	45
Würzburg DE	-	9114	5298	-	58	10691	5897	-	55	13371	6528	-	49
Davos CH	-	10281	7852	-	76	12110	8578	-	71	15137	9209	-	61
Athens GR	-	7064	6244	-	88	8326	7064	-	85	10407	8105	-	78
Perf. indicators for the table above													
Q _{d,sh}	MJ/y	Not relevant for solar domestic hot water system											
Q _d	MJ/y	Annual heat demand for domestic hot water											
Q _L	MJ/y	Annual heat energy delivered by the solar system											
Q _{par}	MJ/y	Annual parasitic energy: (electricity for pumps/controllers)											
f _{sol} =Q _L /Q _d	-	Solar fraction											
Ref. conditions	G	Stockholm SE	Würzburg DE	Davos CH	Athens GR								
	T _{a,ave}	1,157	1,230	1,684	1,736								
	T _{c,ave}	7.5	9.0	3.2	18.5								
	± ΔT _c	8.5	10.0	5.4	17.8								
		6.4	3.0	0.8	7.4								
G	kWh/m ²	Annual irradiation South, 45°											
T _{a,ave}	°C	Annual average outdoor air temperature											
T _{c,ave}	°C	Annual average mains cold water temp.											
ΔT _c	K	Seasonal variation of T _c											
T _h	45 °C	Desired hot water temperature (mixing valve temperature).											
Max. operating press. - collector side		300	kPa	Max. operating press. - tank side		1,000	kPa						
Testing Laboratory		NCSR "DEMOKRITOS"- SOLAR & ENERGY SYSTEMS LAB											
Website		www.solar.demokritos.gr											
Test report id. number		6095 DE1, 6096 DE1, 6096 F1											
Date of test report		23/7/2018, 18/7/2018, 1/8/2017											
Test method		ISO 9459-5 (DST)											
Comments of test lab													
No comments													
N.C.S.R "DEMOKRITOS" SOLAR ENERGY LABORATORY Head: Dr Vassilis Bolessiatis Tel: +210 653015 - Fax: +210 6544500 150 10 Ag. Parakevli - Attiki - Greece													

All values are subject to some uncertainty; e.g. the uncertainty on system output is typically in the range of ± 5 % to ± 15 %

Version 4.5, 2017-10-24




Summary of	EN12976-2	test results	Certification No.	SKM 10043/2									
Annex to Solar KEYMARK Certificate			Issued	2018-08-30									
Company	SONNE AKTION LTD		Country	Greece									
Brand (optional)	ATLAS		Website	www.sonne.gr									
Street	68 Km N.R. Athens - Lamia		E-mail	info@sonne.gr									
Postal Code	32009	Schimatari Viotias	Tel. / Fax	+30 22620 59260									
System family overview													
For each storage and collector size, give number of collectors													
Collector name	T12		T15		T16		T20		T30				
ATLAS CA160	1				2		2						
ATLAS CA200	1		1		1		1	2	2				
ATLAS CA230			1		1		1		2				
Name of system configuration					ATLAS ST30								
Collector name	ATLAS CA200		No. Collectors	2		Storage name	T30						
Calculated annual results for "solar-only / preheat system"													
Location	Q _{d,sh} MJ/y	Daily drawoff 250 l				Daily drawoff 300 l				Daily d 400 l			
		Q _{d,hw} MJ/y	Q _L MJ/y	Q _{par} MJ/y	f _{sol} %	Q _{d,hw} MJ/y	Q _L MJ/y	Q _{par} MJ/y	f _{sol} %	Q _{d,hw} MJ/y	Q _L MJ/y	Q _{par} MJ/y	f _{sol} %
Stockholm SE	-	13939	6654	-	48	16746	7190	-	43	22327	7569	-	34
Würzburg DE	-	13371	6875	-	51	16052	7506	-	47	21413	7979	-	37
Davos CH	-	15137	9745	-	64	18165	10407	-	57	24220	10754	-	44
Athens GR	-	10407	8389	-	81	12488	9461	-	76	16651	10722	-	64
Perf. indicators for the table above													
Q _{d,sh}	MJ/y	Not relevant for solar domestic hot water system											
Q _d	MJ/y	Annual heat demand for domestic hot water											
Q _L	MJ/y	Annual heat energy delivered by the solar system											
Q _{par}	MJ/y	Annual parasitic energy: (electricity for pumps/controllers)											
f _{sol} =Q _L /Q _d	-	Solar fraction											
Ref. conditions	G	Stockholm SE	Würzburg DE	Davos CH	Athens GR								
	T _{a,ave}	1,157	1,230	1,684	1,736								
	T _{c,ave}	7.5	9.0	3.2	18.5								
	± ΔT _c	8.5	10.0	5.4	17.8								
		6.4	3.0	0.8	7.4								
G	kWh/m ²	Annual irradiation South, 45°											
T _{a,ave}	°C	Annual average outdoor air temperature											
T _{c,ave}	°C	Annual average mains cold water temp.											
ΔT _c	K	Seasonal variation of T _c											
T _h	45 °C	Desired hot water temperature (mixing valve temperature).											
Max. operating press. - collector side		300	kPa	Max. operating press. - tank side		1,000	kPa						
Testing Laboratory		NCSR "DEMOKRITOS"- SOLAR & ENERGY SYSTEMS LAB											
Website		www.solar.demokritos.gr											
Test report id. number		6095 DE1, 6096 DE1, 6096 F1											
Date of test report		23/7/2018, 18/7/2018, 1/8/2017											
Test method		ISO 9459-5 (DST)											
Comments of test lab													
No comments													
 N.C.S.R "DEMOKRITOS" SOLAR ENERGY LABORATORY Head: Dr Vassilis Belesiotis Tel: +210 6503015 - Fax: +210 6514500 103 10 Ag. Paraskevi - Attiki - Greece													

All values are subject to some uncertainty; e.g. the uncertainty on system output is typically in the range of ± 5 % to ± 15 %

Version 4.5, 2017-10-24



Summary of		EN12976-2		test results		Certification No.		SKM 10043/2							
Annex to Solar KEYMARK Certificate						Issued		2018-08-30							
Company		SONNE AKTION LTD				Country		Greece							
Brand (optional)		ATLAS				Website		www.sonne.gr							
Street		68 Km N.R. Athens - Lamia				E-mail		info@sonne.gr							
Postal Code		32009		Schimatari Viotias		Tel. / Fax		+30 22620 59260							
System family overview															
For each storage and collector size, give number of collectors															
Collector name	T12		T15		T16		T20		T30						
ATLAS CA160	1				2		2								
ATLAS CA200	1		1		1		1	2		2					
ATLAS CA230			1		1		1			2					
Name of system configuration						ATLAS STL30									
Collector name		ATLAS CA230		No. Collectors		2		Storage name		T30					
Calculated annual results for "solar-only / preheat system"															
Location	Qd,sh	Daily drawoff 250				Daily drawoff 300				Daily drawoff 400					
		Qd,hw	QL	Qpar	fsol	Qd,hw	QL	Qpar	fsol	Qd,hw	QL	Qpar	fsol		
	MJ/y	MJ/y	MJ/y	MJ/y	%	MJ/y	MJ/y	MJ/y	%	MJ/y	MJ/y	MJ/y	%		
Stockholm SE	-	13939	7222	-	52	16746	7916	-	47	22327	8483	-	38		
Würzburg DE	-	13371	7379	-	55	16052	8168	-	51	21413	8925	-	42		
Davos CH	-	15137	10659	-	70	18165	11605	-	64	24220	12173	-	50		
Athens GR	-	10407	8830	-	85	12488	9997	-	80	16651	11605	-	70		
Perf. indicators for the table above															
Qd,sh	MJ/y	Not relevant for solar domestic hot water system													
Qd	MJ/y	Annual heat demand for domestic hot water													
QL	MJ/y	Annual heat energy delivered by the solar system													
Qpar	MJ/y	Annual parasitic energy: (electricity for pumps/controllers)													
f_{sol}=QL/Qd	-	Solar fraction													
Ref. conditions															
		Stockholm SE	Würzburg DE	Davos CH	Athens GR										
G		1,157	1,230	1,684	1,736										
T_{a,ave}	°C	7.5	9.0	3.2	18.5										
T_{c,ave}	°C	8.5	10.0	5.4	17.8										
± ΔTc	K	6.4	3.0	0.8	7.4										
G	kWh/m²	Annual irradiation South, 45°													
T_{a,ave}	°C	Annual average outdoor air temperature													
T_{c,ave}	°C	Annual average mains cold water temp.													
ΔTc	K	Seasonal variation of Tc													
Th	45 °C	Desired hot water temperature (mixing valve temperature).													
Max. operating press. - collector side				300		kPa		Max. operating press. - tank side				1,000		kPa	
Testing Laboratory						NCSR "DEMOKRITOS"- SOLAR & ENERGY SYSTEMS LAB									
Website						www.solar.demokritos.gr									
Test report id. number						6095 DE1, 6096 DE1, 6096 F1									
Date of test report						23/7/2018, 18/7/2018, 1/8/2017									
Test method						ISO 9459-5 (DST)									
Comments of test lab						<p>N.C.S.R "DEMOKRITOS" SOLAR ENERGY LABORATORY Head: Dr Vassilis Belesiotis Tel: +210 6503815 - Fax: +210 6544555 153 10 Ag. Paraskevi - Attiki - Greece</p> 									
No comments															

All values are subject to some uncertainty; e.g. the uncertainty on system output is typically in the range of ± 5 % to ± 15 %

Version 4.5, 2017-10-24